



**GOTSCHLICH**  
DREHSPERREN



## GYRO Baden

**Waist-high vertical turnstile,  
120° separation  
U-shaped bars with acrylic  
glass fill**

Especially well suited for indoor and outdoor entry and exit points in pools and recreation facilities and in architecturally sensitive buildings.

- Central drive inside turnstile
- Pre-assembled on delivery
- Single or bidirectional operation
- Reversible entry direction
- High traffic capacity
- High quality and long service life
- Architecture-friendly transparency
- Maintenance-free mechanism
- Traffic counter
- Extensive line of accessories

## Functional Description:

The motorized, waist-high Gyro Baden vertical turnstile is made entirely of rustproof materials and is especially well suited for use at swimming pools, recreation facilities and also in plant access control.

The drive is in the center pole, giving Gyro Baden an open look that fits in easily with any architecture.

Gyro Baden is suitable for single or bidirectional operation, and its 120° division means high comfort with good traffic separation.

## Application Areas:

- Pools & Recreation
- Building Access Control
- Museums & Leisure Facilities

## Technical Characteristics:

Power Supply:	24 V DC
Power Consumption:	50 VA max.
Storage Temperature:	-40°C to +40°C
Operating Temperature:	+5°C bis +50°C
Outer/Inner Width:	1.600 mm/640 mm
Length:	1.600 mm
Height:	1.025 mm
Weight:	110 kg
Reader Interface:	Floating Contacts
Material:	CrNi-Steel Type 1.4301 Safety Glass

## Models:

**6P935:** Gyro Baden

## Extras & Options:

**21670:** Foundation Assembly with Template for non-sustainable floors for limiters

**21680:** Foundation Assembly with Template for non-sustainable floors for drive column

**21781:** Optical Sensor for Presence Control

**8P408:** External LOGITURN console

**8P407:** Housing for console

**w/oNo:** Curved Acrylic glass fillers for guide rails

## Suitable By-Products:

**6P960:** Ikarus Baden Motorized Gate

**21100:** Manual Gate

**21695:** Reader Stand

