



GOTSCHLICH
DREHSPERREN



GYRO Holm

**Waist-high vertical turnstile,
120° separation
U-shaped bars**

Especially well suited for indoor and outdoor entry and exit points in pools and recreation facilities and also in plant access control.

- Central drive inside turnstile
- Pre-assembled on delivery
- Single or bidirectional operation
- Reversible entry direction
- High traffic capacity
- High quality and long service life
- Architecture-friendly transparency
- Maintenance-free mechanism
- Traffic counter
- Extensive line of accessories

Functional Description:

The motorized, waist-high Gyro Holm vertical turnstile is made entirely of rustproof materials and is especially well suited for use at swimming pools, recreation facilities and also in plant access control.

The drive is in the center pole, giving Gyro Holm an open look that fits in easily with any architecture.

Gyro Holm is suitable for single or bidirectional operation, and its 120° division means high comfort with good traffic separation.

Application Areas:

- Pools & Recreation
- Building Access Control
- Museums & Leisure Facilities

Technical Characteristics:

Power Supply:	24 V DC
Power Consumption:	50 VA max.
Storage Temperature:	-40°C to +40°C
Operating Temperature:	+5°C bis +50°C
Outer/Inner Width:	1.600 mm/640 mm
Length:	1.600 mm
Height:	1.025 mm
Weight:	110 kg
Reader Interface:	Floating Contacts
Material:	CrNi-Steel Type 1.4301 Safety Glass

Models:

6P921: Gyro Holm

Extras & Options:

21670: Foundation Assembly with Template for non-sustainable floors for limiters

21680: Foundation Assembly with Template for non-sustainable floors for drive column

21781: Optical Sensor for Presence Control

8P408: External LOGITURN console

8P407: Housing for console

Suitable By-Products:

6P980: Ikarus Holm Motorized Gate

21100: Manual Gate

21695: Reader Stand

